

Rugged Embedded Fanless PC with op to Dual PCIe Expansion and Intel Core i9/i7/i5 Processor

FEATURES

Model 0: No PCI/PCIe expansion
Model 1: 1 x PCI/PCIe slot
Model 2: 2 x PCI/PCIe slots - supports GPU cards up to 130W
CPU: Intel® Core™ i9/i7/i5/i3 (14th/13th/12th generation, LGA1700, max. 65W TDP)
RAM 2x DDR5 SO-DIMM, ECC/non-ECC, up to 5600 MHz, max. 64 GB
2x 2.5" SATA
3x mSATA sockets
1x M.2 Key M for NVMe SSD
2x GbE LAN (upgradable to 2x 10 GbE LAN upon order)
Up to 2x PCI/PCIe slots
1x M.2 + 2x Full-size Mini PCIe
Support for CMI and CFM modules (including for I/O expansion, ignition control, and PoE+)
2x DisplayPort
1x VGA
Up to 8x USB (USB 3.2 Gen2 and USB 2.0)
4x COM (RS-232/422/485)
9-48 VDC input, with ignition control
Operating temperature: -40 °C to 70 °C
Certifications: Military: MIL-STD-810G, Transportation: EN50155 (EN 50121-3-2), Safety: UL, cUL, CB, IEC/EN 62368-1
Supports Intel® OpenVINO™
Intel® ESDQ Certified: Edge Insights for AMR Software Stack
The system is assembled according to your needs.
Contact us for advice and pricing.



SPECIFICATIONS

Memory Type	:	DDR5
Max. Memory Capacity	:	64
Power Input	:	DC 9~48V
USB	:	6
Serial	:	2
Operating Temp.	:	-40°C to 70°C
Andet	:	1x DP
BIOS	:	AMI
Ethernet	:	2
Grafik	:	Integrated Intel® UHD Graphics 770: Core™ i9/i7/i5; Integrated Intel® UHD Graphics 730: Core™ i3 ; Integrated Intel® UHD Graphics 710: Pentium®/Celeron®
Montering	:	Wall, DIN-rail
RAID niveau	:	Support RAID 0/1/5/10



SPECIFICATIONS

PCI Express	:	1;2
RAM	:	2x DDR5 SO-DIMM
Certification	:	UL, cUL, CB, IEC/EN 62368-1
Antal Video Udgange	:	4
Antal LAN Porte	:	6
Antal USB	:	8
Antal Serial	:	4



Danbit A/S Schous plass 1 Oslo, N-0552
Norway



67 104 460



salg@danbit.dk