

PC ISA with ISA slot, for older OS with ISA slot.
DOS6.22, Win CE 5.0 / 6.0, WIN 95, WIN 98, WIN XP
pro. Windows 2000 support

FEATURES

- PC WINDOWS 2000 XP, WIN 95, WIN 98, DOS
- PC with ISA slot (up to 5 available ISA slots depending on configuration)
- Power supply 400 Watts
- LPT
- RS232
- 256MB RAM
- 4GB flash drive
- PHOTO IS MODEL!
- CAN BE DELIVERED WITH PCI Contact sales!



SPECIFICATIONS

CPU	:	DM&P Vortex86DX 800 MHz. Kan neddrøses til 100 MHz
Digital I/O	:	16bit GPIO
Operating Temp.	:	0°C - 40°C (5-90% ikke-kondenserende)
BIOS	:	AMI BIOS
Drev	:	1 x ultraDMA100 ide kanal. 44bens stik til 1 IDE enhed 3½"
Grafik	:	Integreret XGI Volari Z9s 32 MB onboard RAM med DB15HDF VGA-stik. Max. opløsning 1280x1024
Hukommelse	:	Monteret med 256 MB DDR2-RAM onboard. Kan ikke udvides
Interface	:	1 x standard diskettecontroller til 3½"
Ledige Slots	:	5 x ISA
Netværk	:	1 x 10/100 Mbit Ethernet med RJ45-stik
OS SUPPORT	:	Understøtter DOS, Windows 98, WIN 3.11
Overvågning	:	System/CPU temperatur og spænding



SPECIFICATIONS

Porte	:	1 x SPP/EPP/ECP, bi-direktionel med DB25F-stik
Strømforsyning	:	400watt AT
Tastatur/mus	:	2 x mini-DIN6 PS/2 via medfølgende Y-splitter kabel
Watchdog	:	Watchdog timer m/255 niveauer

