

8" LCD-skjerm med høy lysstyrke, berøring, 500 nits,
temperatur -30° - +85°C, 1 x VGA, 2 x video 1 x lyd,
16:9-format

FEATURES

8" TFT-skjerm med LED-bakgrunnslys og høy
lysstyrke 500nits
16: 9 bred skjermopløsning: 640x480 til 1024x768
piksler
3 x videoinngang, 2 x lyd
Innebygd Speaker
Auto Dimmer Funksjon
Resitiv Touch (USB Interface)
Forsyning: 12-24VDC (AC Adapter Inkludert)
Driftstemperatur: -30- + 85 °C
VESA 75x75mm



SPECIFICATIONS

Driftstemperatur	:	-30~+85°C
Annen	:	Auto Power On For VGA Mode - Auto Dimmer Function
Forsyning	:	12-24VDC via cigarstik eller medfølgende 12VDC/1.5A input: 100-240V
Input	:	3x Video Inputs - 1x VGA Input - 2x Audio Inputs (L/R)
LED	:	LED Backlight With Lower Power Consumption
Lysstyrke	:	High Brightness 500nits
Montering	:	VESA Mountable 75x75mm
Mål og vægt	:	8" 16:9 wide Screen
Opløsning	:	640x480 til 1024x768 pixels
OS SUPPORT	:	Windows 7/ vista / 9X / Me / NT4.0 / 2000 / XP / CE.NET/CE 2.12/3.0 Embedded/ Dos
Standarder	:	NTSC/PAL/SECAM Auto Switching
Tilbehør	:	With headrest Shroud & Stand - 3-In-1 Cable



**DANBIT**

MON8-TFT-WT

SPECIFICATIONS

Dimensioner : 238 mm (W) x 153 mm(H) x 30 mm (L)



Danbit A/S Schous plass 1 Oslo, N-0552
Norway



67 104 460



salg@danbit.dk

For business customers only (B2B). Prices exclude VAT. We reserve the right to correct errors and make changes.