

23,8 "(16: 9) 4K UHD TFT LCD skjerm, 3840 x 2160 FEATURES

23,8 "4K UHD TFT LCD flatpanel
Metallskap med aluminiumramme
1 x USB-En inngang
1 x HDMI A (HDMI2.0) -inngang
1 x HDMI2-inngang
1 x Skjermportinngang
1 x PC-inngang
1 x VGA-inngang (D-Sub 15-pin)
1 x DVI-D-inngang
1 x PC-lydinngang (3,5 telefonkontakt)
1 x RS232-inngang (D-SUB 9pin)
1 x lydutgang for hodetelefoner
Nits: 310 cd / m²
Oppløsning: maks 3840 x 2160
16: 9 format
LED-bakgrunnsbelysning
PIP / PBP-funksjon
Innebygd 2 x 2W høyttaler
Montering: VESA75 / 100
Forsyning: DC 12V / 5A
Optional touch



SPECIFICATIONS

Driftstemperatur	:	0° to 50° C
Annen	:	LED backlight
Antal farver	:	1.07G colors
Forsyning	:	AC 100-240V 50/60Hz, Adapter DC 12V/5A
Kontrast	:	1000:1
Lyd	:	2x built-in speaker (2 watt)
Lysstyrke	:	300 cd/m² LED
Montering	:	VESA75/100
Mål og vægt	:	23,8"
Opløsning	:	Max 3840x2160
Pixels	:	0.1725x0.1725
Stik	:	1 x USB-A in 1 x HDMI A (HDMI2.0) in 1 x HDMI2 in 1 x Display port in 1 x PC in 1 x VGA in (D-Sub 15 pin) 1 x DVI-D in 1 x PC Audio in (3.5 phone jack) 1 x RS232 in (D-SUB 9pin) 1 x Earphone audio out 2 x built-in speaker 2 watt



**DANBIT**

MON23.8-TFT-UHD

SPECIFICATIONS

Vekt	:	5.2 KG
Dimensioner	:	(WxHxD) 555.6x341.0x73.5 mm



Danbit A/S Schous plass 1 Oslo, N-0552
Norway



67 104 460



salg@danbit.dk

For business customers only (B2B). Prices exclude VAT. We reserve the right to correct errors and make changes.