

17" Robust PC-nettbrett, IP65, LED 1024 x 600, Wifi,
Kapasitiv multitouch, 500 nits

FEATURES

- 7" Robust nettbrett med IP65
- Intel® Atom™ E3815 1,46GHz
- 2 GB DDR3L SODIMM
- mSATA SSD, Micro SD-spør
- innebygd 3-akset sensor, dobbel høyttaler
- 500 nits LED-bakgrunnsbelysning
- Capcitive Multi Touch
- 5x programmerbar knapp
- 2x Lydjusteringsknapp
- 1X Kontrastjusteringsknapp
- 1 x RS232 (COM1 med strøm)
- 1 x RS-232 / 422/485
- 1 x USB 2.0
- 1 x USB 3.0
- 1 x Dual Micro SIM-spør
- 1 x CAN-buss (SAE J1939)
- 1 x lydkontakt
- 1 x 9-36V DC-inngang
- Kraftbeskyttelse for kjøretøy (ISO7637-2)
- Vesa 75/100 Montering



SPECIFICATIONS

CPU	:	Intel® Atom™ E3815 1.46GHz, optional Intel® Atom™ E3826 1.46GHz
Driftstemperatur	:	-30°C to +60°C
Chok/Vibration	:	Vibration (operating) : MIL-STD-810G, Method 514.7 c2/c3/c4
Harddisk	:	mSATA SSD, Micro SD slot
Hukommelse	:	2GB DDR3L SODIMM
I/O	:	1 x RS232, 1 x RS-232/422/485, 1 x USB 3.0, 1 x USB 2.0, 1 x Dual Micro SIM slot, 1 x CAN bus, 2 x DI, 2 x DO, 1 x Audio jack
IP-Tæthed	:	IEC 60529 IP65 (except bottom side I/O)
Montering	:	VESA 75
Netværk	:	Gigabit Ethernet (RJ45)
Skærm	:	7" WSVGA TFT LCD (1024 x 600), 500 nits brightness
Touch	:	Capacitive multi touch (PCT)
Vekt	:	1.25kg



**DANBIT**

TABLET7-RV-WIN

SPECIFICATIONS



Danbit A/S Schous plass 1 Oslo, N-0552
Norway



67 104 460



salg@danbit.dk

For business customers only (B2B). Prices exclude VAT. We reserve the right to correct errors and make changes.