

Managed switch, 8 porter 100/1000Mbit RJ45, PoE+ (36W), 2 x 100Mbit / 1Gbit SFP, 2 x 10Gbit SFP FEATURES

- 8 x 10/100 / 1000BASE-T RJ45 Auto-MDI / MDIX-porter
- 2 x 1000BASE-SX / LX / BX SFP-grensesnitt
- 8 POE-injeksjonsporter med 802.3ay / PoE Standard 802.3at
- 60GB ikke-blokkering
- 32Mbits Databuffer
- IEEE 802.3X pause ramme for dupleks
- IP30 aluminium
- Din skinne og veggmontering
- Alarm relé 1A, 24V DC
- 2 x Digital utgang (DI)
- 2 x Digital utgang (DO) 24v DC, 100mA max
- Dimensjoner: 72 x 107 x 152mm
- Vekt: 1684g
- Forsyning: 48-56 V DC



SPECIFICATIONS

Båndbredde	:	500kb - 1000Mbps
Forsyning	:	Dual 48-56V DC, max 11.1 watts, max 306 watts (med PoE)
Indgang	:	Pin 1/2 for power, pin 3/4 for alarm, Pin 5/6 for power 2,
Indgang	:	2 x Digitale indgange
IP-Tæthed	:	IP30
Montering	:	DIN rail installation med væg montering
PoE	:	8 x 802.3at/af PoE injector fucnktion
Porte	:	8 x 10/100/1000BASE-T, 2 x 1000BASE-SX/LX-BX SFP, 2 x 10GbBASE-SR/LR SFP+
Standarder	:	IEEE 802.3at/af Power over Ethernet PLUS/PSE
Udgange	:	2 x digitale udgange
VLAN	:	protokol baseret, Voice, MVR (Multicast VLAN registration), op til 255 VLAN grupper
Vekt	:	1684g



**DANBIT**

ESW8G-M-SFP4P

SPECIFICATIONS



Danbit A/S Schous plass 1 Oslo, N-0552
Norway



67 104 460



salg@danbit.dk

For business customers only (B2B). Prices exclude VAT. We reserve the right to correct errors and make changes.