

-ETH-PCIE-4POE

4 porter Ethernet PCI Express Server Adapter PoE + FEATURES

4-Port 10/100 / 1000T 802.3at PCI Express
PoE + (120 W)
Intel I350 Controller til 4 x RJ45
Dimensjoner: 169 x 121 x 18 mm | Vekt 251 g
Driftstemperatur temperatur~~POS=HEADCOMP:
-10 ~ 60 C



Danbit A/S Schous plass 1 Oslo, N-0552
Norway



67 104 460



salg@danbit.dk

SPECIFICATIONS

Driftstemperatur	:	-10 ~ 60 degrees C
Controller	:	Intel I350
Forsyning	:	PCIe power supply 3.3V ±9% / 12V ±8%
Interface	:	4 x RJ45
LED	:	1000Mbps: LINK: Yellow, ACT: Green 10Mbps/100Mbps: ACT: Green
OS SUPPORT	:	Windows Server 2008R2 64bits Windows Server 2012 64bits Windows Server 2016 64bits Windows 7 32/64bits Windows 8 32/64bits Windows 10 32/64bits Linux 2.6.x, Linux 4.x VMware® 6.0
PCI	:	PCI Express v2.1 (5.0GT/s) x4
Pin	:	1/2 (+), 3/6 (-)
PoE	:	30 Watt Per port
PoE	:	IEEE 802.3at Power over Ethernet Plus/PSE
PoE	:	60W maximum with DC 12V over PCIe slot 120W* maximum with DC 12V over PCIe slot and 4 molex plug from power supply
Standarder	:	IEEE 802.3 10BASE-T Ethernet IEEE 802.3u 100BASE-TX Fast Ethernet IEEE 802.3ab 1000BASE-T Gigabit Ethernet IEEE 802.1Q VLANs IEEE 802.3x Flow Control IEEE 802.3af Power over Ethernet IEEE 802.3at Power over Ethernet Plus



**DANBIT**

-ETH-PCIE-4POE

SPECIFICATIONS

Dimensioner : 169 x 121 x 18 mm



Danbit A/S Schous plass 1 Oslo, N-0552
Norway



67 104 460



salg@danbit.dk

For business customers only (B2B). Prices exclude VAT. We reserve the right to correct errors and make changes.