

Frittstående LPR-kamera for skiltgjenkjenning IP67, 1080P PoE.

FEATURES

Ny modell forventes levert i april 2025

- Dobbeltfeltsgjenkjenning
- Opptil 30 fps ved 1920 x 1080
- Frittstående database / Loggeksport
- IR-avstand opp til 22 m
- Dag og natt funksjon
- Digital I/O (1 inn / 1 ut)
- SD-kortspor for data
- Innebygget varmeapparat og vifte
- Gjenkjenne kjøretøy med hastigheter opp til 100 km/t
- Drives via POE / 12VDC
- IP67, defog
- 31 språk på webgrensesnittet
- CE, FCC, UKCA, LVD, RoHS-kompatibel



SPECIFICATIONS

Digital I/O	:	1 In / 1 Out
Annen	:	Max car speed: 100 km/h (62 mph)
Forsyning	:	DC 12 V / PoE (IEEE 802.3bt)
Frekvens	:	60/50 fps at 1920 x 1080 (60/50 Hz)
Hukommelse	:	Micro SD card slot (SD/SDHC/SDXC/UHS-I, Class 10) * UHS-II card types not supported
Kanaler	:	3 stream channels
Lyd	:	1 In (microphone jack, 3.5 mm / 0.14") / 1 Out (phone jack, 3.5 mm / 0.14")
Netværk	:	10/100/1000 Base-T Ethernet, RJ-45 connector
Opløsning	:	Up to 30 fps at 1920 x 1080
Protokol	:	DHCP, DNS, DynDNS, FTP, HTTP, HTTPS, ICMP, IPv4, IPv6, Multicast, NTP, QoS (DSCP), RTCP, RTSP, SNMP, SMTP, SSL, TCP/IP, UDP, UPnP, 3GPP/ISMA
Strømforbrug	:	45W max
Drifttemperatur	:	-20 °C ~ 55 °C



**DANBIT**

KAM-NR-IN

SPECIFICATIONS



Danbit A/S Schous plass 1 Oslo, N-0552
Norway



67 104 460



salg@danbit.dk

For business customers only (B2B). Prices exclude VAT. We reserve the right to correct errors and make changes.