

21,5" Panel PC IP65 tett foran, touch i3,i5 eller i5 cpu
4x USB, 2xCOM

FEATURES

21,5" FHD-projisert kapasitiv multi-touch-skjerm
Fjerde generasjons Intel® Core™ i7/i5/i3,
Pentium® Celeron®-prosessor (Haswell)
2,5" 7/9,5 mm SATA HDD, CFast™ og mSATA
2 Gigabit LAN,
2 USB 3.0
2 USB 2.0
2 COM-porter
IP65 flat frontramme og robust design
Støtter panelfeste og valgfri VESA-arm / bordstativ
/ veggfeste
2 PCI Express Mini-kortspor
Strømforsyning 19Vdc / 112Watt, 4-polet



SPECIFICATIONS

CPU	:	LGA 1150 4. Gen Celeron i3,i5,i7 support up to 45W
Chipset	:	Intel H81
USB	:	2xUSB3.0, 2xUSB2.0
Driftstemperatur	:	0 to 40 degrees
BIOS	:	AMI UEFI BIOS
CF Card	:	1x CFast card slot
Forsyning	:	19 VDC, 112Watt
Grafik	:	Intefracted Intel HD graphics
Hukommelse	:	1 x 204 DDR3 1333/1600 up to 8GB
OS SUPPORT	:	WE8S, WES 7 Windows 10 IOT, Windows 8.1 win 7 windows 10
PCI	:	2 x PCI express MINI card slot
Porte	:	2 x RS232/422/485 (COM1/2)



IPP21.5IX

SPECIFICATIONS

Watchdog	:	255 levels, 0 to 255 sec.
WiFi/WLAN	:	OPTION! Contact sales
Vekt	:	8.1Kg
Dimensioner	:	547.6 x 89 x 339 mm



Danbit A/S Schous plass 1 Oslo, N-0552
Norway



67 104 460



salg@danbit.dk