

Kraftig industriell GPU-datamaskin med Intel® Gen. 8/9 CPU I3 / I5 / I7 eller Xeon CPU Support, 9~48VDC FEATURES

- Støtter 9./8. generasjons Intel® Xeon®/Core™ - prosessor (35W/65W/80W)
- Nvidia / AMD GPU-støtte opptil 328 mm
- Intel Gen. 8/9, C246-brikkesett
- 2 x DDR4 SO-DIMM, støtter ECC/ikke ECC-type opptil 2666 MHz, 64 GB
- 4 X 2,5" Hot Swappable SATA III HDD/SSD-BAUER (MAKS HØYDE 15 mm)
- 1 x M.2 m nøkkelbetjening (NVME), 1 x M.2 E-tast (CNVI)
- VGA, HDMI, DP
- 6x USB, 1x UBS intern
- 2 x RS232/422/485
- 2 x foran tilgjengelig SIM-kortspor for signalredundans
- Strøm 9~48Vdc, 220W
- Dimensjoner 105x190x360 mm (bxDxH)
- Driftstemperatur -40°C til 70°C avhengig av CPU
- 9~48VDC via 3-pins terminalblokk
- Valgfri AC/DC eller DC/DC 24V 480W strømforsyning
- Valgfri AC/DC eller DC/DC 24V 1000W strømforsyning



SPECIFICATIONS

CPU	:	Supports 9th/8th Gen Intel® Xeon®/Core™ Processor (35W / 65W / 80W)
Chipset	:	Intel® C246
USB	:	2x 10Gbps USB 3.2 Gen2, Type A, 4x 5Gbps USB 3.2 Gen1, Type A
Driftstemperatur	:	35W CPU: -40°C to 70°C, 65W CPU: -40°C to 60°C, 80W CPU: -40°C to 50°C
Antenne	:	7x Antenna Holes
Forsyning	:	9~48VDC via 3-pin Terminal Block
Hukommelse	:	2x DDR4-2666/2400MHz SO-DIMM, ECC/non-ECC Type Up to 64 GB
Montering	:	Wall Mount / Desktop Mount / 19" Rack Mount / Face-up Mount
Netværk	:	5x GbE LAN, RJ45
Porte	:	2x RS-232/422/485 with Auto Flow Control (Supports 5V/12V), DB9
SIM kort	:	2x SIM Socket
Vekt	:	8 kg



**DANBIT**

IPC-GEN8/9-GPU

SPECIFICATIONS



Danbit A/S Schous plass 1 Oslo, N-0552
Norway



67 104 460



salg@danbit.dk

For business customers only (B2B). Prices exclude VAT. We reserve the right to correct errors and make changes.