

Embedded PC, Pentium® N4200 Opptil 2,50 GHz, 4x
RS-232/422/485, 9~48VDC

FEATURES

- Pentium®-prosessor N4200
- 1X DDR3L SO-DIMM Maks. Opptil 8 GB
- Triple Independent Display (1x CDer, 1x VGA, 1x DisplayPort)
- 1x 2.5 "SATA Drive Bay, 1x MSATA Socket
- Rich I / O (2x LAN, 4x USB, 4x COM, 8x Isolert Dio)
- 2x Full størrelse Mini-PCle Expansion Socket
- Støtter 2X PoE + Funksjon (med option modul)
- Støtter Tenningssensing Funksjon (IGN) (med option modul)
- Støtter CDS-teknologi for konvertibelt panel PC
- Innebygde to 2W interne høyttalere
- 9~48VDC via 3-pin Terminal Block



SPECIFICATIONS

CPU	:	Intel® Pentium® N4200
USB	:	4x USB 3.0 (Type-A)
Driftstemperatur	:	-40°C to 70°C
Antenne	:	4x Antenna Holes
Forsyning	:	9~48VDC via 3-pin Terminal Block
Grafik	:	Integrated Intel® HD Graphics 505
Hukommelse	:	1x DDR3L 1333/1600/1866 MHz 204-Pin SO-DIMM Socket (8GB max)
Lyd	:	Realtek ALC888-GR
Montering	:	Wall / VESA / CDS / DIN Rail
Msata	:	1x mSATA Socket (SATA 3.0, Shared by Mini-PCIe Socket)
Netværk	:	2x GbE LAN Intel® I210
OS SUPPORT	:	Windows 10



SPECIFICATIONS

SIM kort	:	1x SIM Socket
Vekt	:	1.49 kg
Dimensioner	:	204.5 x 149 x 41.5 mm

